


Apollo Tyres Ltd. 7, Institutional Area, Sector 32, Gurgaon - 12001, India
Apollo Tyres Thailand Ltd. 23rd Floor, 719 KPN Tower, Rama 9 Rd., Bangkok, Huay-kwang, Bangkok - 10310, Thailand
Apollo Tyres - Middle East; 8th Floor, Galleries-3, Down Town Jebel Ali, Dubai - UAE
Apollo Tyres UK Pvt. Ltd. 3rd Floor, Muldox House, 1 Maddox Street & 215-221 Regent Street, London - W1S 2PZ
Global PV R&D Centre - Colosseum 2, 7821 PT Enschede, Netherlands. Mail Address: P.O. Box 27 - 7500 AA Enschede, Netherlands




PASSENGER VEHICLE TYRES



GO THE ——— DISTANCE



GO THE ——— DISTANCE



ABOUT APOLLO



I N D E X

PASSENGER CAR TYRE SEGMENT

Apollo Aspire 4G	8
Apollo Aspire	10
Apollo Manchester United	11
Apollo Alnac 4G	12
Apollo Alnac	13
Apollo Alnac Winter	14
Apollo Amazer 4G	15
Apollo Amazer 3G Maxx	18
Apollo Amazer 3G	17
Apollo Amazer XL	18
Apollo Quantum Plus	18


SUV TYRE SEGMENT

Apollo Apterra HP	22
Apollo Apterra HL	23
Apollo Apterra HT	24
Apollo Apterra AT	25
Apollo Apterra Winter	26

APOLLO AT A GLANCE

A NEW WORLD. A NEW GLOBAL BRAND.

We are Apollo, one of the fastest growing tyre brands globally. Today, our worldwide family includes Apollo Tyres in India, Vredestein in Europe and exports to over 118 countries. We are 38 years young, ambitious and love challenges - be it from today's demanding auto majors, the global tyre brands we compete with, or from equally uncompromising car owners. Because every little thing we do works to ensure that you drive home safe everyday, without a worry.



- Corporate Headquarter
- Manufacturing Locations
- Focus Markets
- Available





TECHNOLOGY DRIVES QUALITY


We're always building a better tyre for you. Tyre technologists at our R&D Centre in Europe and India work with the latest advancements in tyre technology. Each ingredient of an Apollo tyre is sourced from some of the world's most reputable suppliers. Once made, every Apollo tyre undergoes rigorous testing at global, state-of-the-art facilities, and stringent quality checks, before it is finally cleared for sale to you.



apollo



PASSENGER CAR TYRE SEGMENT



APOLLO ASPIRE 4G

ULTRA HIGH PERFORMANCE

- W & Y speed rated, 16-19 inch tyres
- For premium and luxury segment
- Excellent control and handling on dry road surface conditions
- Excellent grip and stability on wet road
- Low noise
- Excellent cornering

AVAILABLE SIZES

SW	AR	RIM SIZE	LOAD INDEX		SR	TT
			STANDARD	EXTRA LOAD		
205	55	R16	81		W	TL
215	55	R16		87	W	TL
225	55	R16	85		W	TL
225	55	R16	88		Y	TL
205	40	R17		84	W	TL
205	50	R17		88	W	TL
215	45	R17		81	Y	TL
215	50	R17		85	Y	TL
215	55	R17	84		Y	TL
225	50	R17		88	W	TL
225	45	R17		84	W	TL
225	50	R17		88	W	TL
225	55	R17		101	Y	TL
235	45	R17		87	W	TL
235	55	R17		88	Y	TL
245	45	R17	88		Y	TL
225	40	R18		82	Y	TL
225	45	R18		85	Y	TL
235	40	R18		85	Y	TL
235	45	R18		88	Y	TL
245	40	R18		87	Y	TL
245	45	R18		100	Y	TL
235	35	R19		81	Y	TL
255	35	R19		81	Y	TL
255	35	R19		88	Y	TL



GO THE

DISTANCE


APOLLO ASPIRE

UNIDIRECTIONAL, PREMIUM SPORT

- W & Y rated, 17-19 inch tyres
- For premium and luxury segment
- Unidirectional V-shaped tread for aquaplaning resistance
- Special silica tread compound for wet performance
- Quick steering response for sporty performance

AVAILABLE SIZES

SW	AR	RIM SIZE	LOAD INDEX	SR	TT/TL
206	40	R17	84	W	TL
215	40	R17	87	W	TL
215	45	R17	81	W	TL
225	45	R17	84	W	TL
215	35	R18	84	Y	TL
225	40	R18	92	Y	TL
235	40	R18	91	W	TL
245	40	R18	98	W	TL
245	40	R18	97	Y	TL
235	35	R19	91	W/Y	TL



APOLLO MANCHESTER UNITED

LIMITED EDITION

- First-of-its-kind in the Indian tyre industry
- Unique sidewall design

AVAILABLE SIZES

SW	AR	RIM SIZE	LOAD INDEX	SR	TT/TL
185	85	R15	81	V	TL

apollo



APOLLO ALNAC 4G

ALL ROUND HIGH PERFORMANCE

- H & V speed rated, 14-17 inch tyres
- For mid-size and executive segment
- Balanced handling on dry and wet surfaces
- Quiet, smooth ride
- Long life with improved end life durability

AVAILABLE SIZES

SW	AR	RIM SIZE	LOAD INDEX		SR	TT
			STANDARD	EXTRA LOAD		
185	60	R14	82		H	TL
185	65	R14	88		H	TL
185	70	R14	88		H	TL
185	80	R14	88		H	TL
185	55	R15	82		V	TL
185	60	R15		88	H	TL
185	65	R15	88		H	TL
185	60	R15	82		V	TL
185	65	R15	88		H/V	TL
185	60	R15	88		H	TL
185	65	R15	91		H/V	TL
205	60	R15	91		H/V	TL
205	65	R15	84		H/V	TL
185	45	R15		84	V	TL
185	60	R15		88	V	TL
185	55	R15	87		V	TL
205	55	R15	91		H/V	TL
205	60	R15	82		H/V	TL
215	55	R15	83		V	TL
215	60	R15		88	V	TL
225	60	R16	88		H	TL
205	50	R17	88		V	TL



APOLLO ALNAC

BE IN THE COMFORT ZONE ALWAYS

- H speed rated, 13-15 inch tyres
- Stable handling performance at high speed
- Excellent handling in wet and dry conditions
- Low external and in-cabin noise levels for a comfortable ride

AVAILABLE SIZES

SW	AR	RIM SIZE	LOAD INDEX	SR	TT
175	70	R13	82	H	TL
185	70	R13	88	H	TL
205	60	R13	87	H	TL
185	65	R14	78	H	TL
175	65	R14	82	H	TL
175	70	R14	84	T/H	TL
185	70	R14	81	H	TL
185	60	R15	84	H	TL



apollo



APOLLO ALNAC WINTER

PREMIUM WINTER COMFORT

- T & H rated, 13-17 inch tyres
- Directional tread pattern for perfect aquaplaning resistance
- 100% silica tread compound for excellent performance at low temperatures
- Multiple sipes for shorter braking distance

AVAILABLE SIZES

SW	AR	RIM SIZE	LOAD INDEX		SR	TT
			STANDARD	EXTRA LOAD		
155	70	R13	76		T	TL
155	80	R13	78		T	TL
175	70	R13	82		T	TL
155	85	R14	75		T	TL
165	85	R14	78		T	TL
165	70	R14	81		T	TL
175	65	R14	82		T	TL
175	70	R14	84		T	TL
185	80	R14	82		T	TL
185	85	R14	88		T	TL
185	85	R15	81		T	TL
175	85	R15	84		T	TL
185	55	R15		86	H	TL
185	60	R15		88	T	TL
185	65	R15		88	T	TL
185	55	R15		85	H	TL
185	60	R15		88	T	TL
185	65	R15		81	T/H	TL
185	55	R16		87	H	TL
205	55	R16		81	T/H	TL
215	55	R16		87	H	TL
215	60	R16		98	H	TL
225	55	R16		98	H	TL
225	45	R17		94	V	TL
225	50	R17		98	V	TL



APOLLO AMAZER 4G

RUNS LONGER, HANDLES BETTER

- T speed rated, 12-14 inch tyres
- For mini, compact and premium compact vehicles
- Long life
- High impact resistance
- Great handling

AVAILABLE SIZES

SW	AR	RIM SIZE	LOAD INDEX	SR	TT
145	80	R12	74	T	TL
155	85	R13	78	T	TL
165	70	R13	75	T	TL
165	80	R13	78	T	TL
175	70	R13	82	T	TL
165	85	R14	78	T	TL
175	70	R14	84	T	TL
185	70	R14	88	T	TL



apollo




APOLLO AMAZER 3G MAXX

ASYMMETRIC, FUEL EFFICIENT

- T speed rated, 13-15 inch tyres
- For compact and premium compact vehicles
- Asymmetric tread pattern provides superior control on all types of roads
- Improved high speed cornering and maneuverability on dry roads

AVAILABLE SIZES

SW	AR	RIM SIZE	LOAD INDEX		SR	TT
			STANDARD	EXTRA LOAD		
165	65	R13	77		T	TL
165	70	R13	79	83	T	TL
165	80	R13	83		T	TL
175	70	R13	82		T	TL
165	65	R14	79		T	TL
165	70	R14	81		T	TL
175	65	R14	82	88	T	TL
175	70	R14	84	88	T	TL
185	80	R14	82		T	TL
185	85	R14	88		T	TL
185	85	R15	88	92	T	TL
185	70	R14	88		T	TL
186	65	R14	88		T	TL
186	65	R15	88		T	TL
196	65	R15	91		T	TL
196	65	R15	95		T	TL



APOLLO AMAZER 3G

LONG LIFE, FUEL EFFICIENT

- T speed rated, 12-14 inch tyres
- For mini, compact and premium compact vehicles
- Longer tyre life
- Reduced unsprung mass for fuel efficiency
- Optimal gauges for supreme cushioning for ride comfort

AVAILABLE SIZES

SW	AR	RIM SIZE	LOAD INDEX	SR	TT/TL
148	70	R12	80	T	TL
148	80	R12	74	T	TL
148	70	R13	71	T	TL
148	80	R13	76	T	TL
156	85	R13	73	T	TL
166	70	R13	76	T	TL
166	80	R13	79	T	TL
166	85	R14	76	T	TL
166	80	R14	85	T	TL

apollo



APOLLO AMAZER XL


LONG LIFE, STANDARD PERFORMANCE

- S & T speed rated, 12-15 inch tyres
- For mini, compact, MUV and VAN
- Reinforced tyre construction for long life
- Visual alignment indicator for detecting any misalignment wear in the tyre
- Specially designed for low noise

AVAILABLE SIZES

SW	AR	RIM SIZE	LOAD INDEX		SR	TT
			STANDARD	EXTRA LOAD		
145		R12	C 86	8PR	Q	TT
145	70	R12	89		T	TT/TL
145	80	R12	74		T	TL
155	70	R12	73		T	TL
145	70	R13	71		T	TT/TL
145	80	R13	75		T	TL
155		R13	C 82/80	8PR	S	TL
155	70	R13	75		S	TL
155	80	R13	78		T	TT/TL
165	85	R13	77		T	TL
165	70	R13	79		T	TL
165	80	R13	83		T	TT/TL
176		R13	C 87/86	8PR	S	TL
176		R13		C 82/80	S	TL
176	70	R13	82		S	TT
176	70	R13	82		T	TL
185	80	R13	80		T	TL
185	70	R13	88		T	TL
185	80	R14	85		T	TL
178	85	R14	82		T	TL
185	85	R14	88		T	TL
185	70	R14	89		T	TL
185	70	R14	81		T	TL
185	70	R15	82		S	TT/TL
205	70	R15	85		S	TL
215	75	R15	100		S	TT/TL

apollo



APOLLO QUANTUM PLUS

THE QUANTUM ADVANTAGE


- Circumferential grooves for better directional stability
- Deep grooves for effective water channelling providing safety against aquaplaning
- Excellent handling at high speed
- Improved mileage

AVAILABLE SIZES

SW	AR	RIM SIZE	LOAD INDEX	SR	TT/TL
155		R13	80/88	8PR	R TL
176	85	R14	C 80/88		T TL
186		R14	C 102/100		S TL
195		R14	C 108/104		S TL
186		R15	C 107/106		S TL
186	85	R15	C 104/102		S TL
205	85	R15	C 107/106		T TL
205	75	R15	C 110/108		R TL
215	85	R15	C 108/107		R TL
*175		R14	C 88/94		T TL
*185		R14	C 102/100		R TL
*185		R15	C 108/104		R TL
*205		R15	C 110/109		R TL
*205	80	R15	C 108/104		S TL
215	75	R15	C 118/111		S TL



*Available as Quantum




**ENDURANCE.
THERE ARE NO
SHORTCUTS.**

apollo



SUV TYRE SEGMENT




APOLLO APTERRA HP

ON ROAD, HIGH PERFORMANCE

- H & V rated, 16-18 inch tyres
- Superior handling and cornering at higher speed
- Precise steering response and directional stability
- Enhanced wet handling and braking
- Super silent tyre

AVAILABLE SIZES

SW	AR	RIM SIZE	LOAD INDEX		SR	TT
			STANDARD	EXTRA LOAD		
215	85	R16	98		H	TL
215	70	R16	100		H	TL
235	70	R16	105		H	TL
235	70	R16	108		H	TL
225	60	R17	98		H	TL
235	85	R17		108	V	TL
235	80	R16		107	V	TL
245	80	R18	105		H	T
255	55	R18		108	V	TL



APOLLO APTERRA HL

ON ROAD, SUPER SILENT

- H speed rated, 16 inch tyres
- Unique asymmetric tread pattern for wet and dry performance
- Excellent directional stability
- Good steering response
- Exceptionally low noise level for a comfortable ride

AVAILABLE SIZE

SW	AR	RIM SIZE	LOAD INDEX	SR	TT
225	85	R16	98	H	TL
225	70	R16	100	H	TL
225	65	R17	104	H	TL

apollo




APOLLO APTERRA HT

HIGHWAY TERRAIN

- S & T rated, 15-17 Inch tyres
- Wear-resistant tread compound for longer life
- Unique pitch sequence for low noise
- Excellent steering response

AVAILABLE SIZES

SW	AR	RIM SIZE	LOAD INDEX		SR	TT
			STANDARD	EXTRA LOAD		
215	75	R15	100		S	TL
235	75	R15	105		S/T	TL
255	70	R15	108		S/T	TL
265	70	R15	112		S/T	TL
185	85	R16	105		Q	TL
235	70	R16	105		S/T	TL
245	70	R16		111	S/T	TL
255	85	R16	108		S/T	TL
265	70	R16	112		H	TL
265	75	R16	118		S	TL
275	70	R16	114		T	TL
235	80	R17	102		T	TL
265	85	R17	112		S/T	TL



APOLLO APTERRA AT

ALL TERRAIN

- S rated, 15-17 Inch tyres
- Designed for most punishing off-road conditions
- Effortlessly tackles mud, rock and even light snow
- Cut, tear and puncture resistance for serious off-road enthusiasts

AVAILABLE SIZES

SW	AR	RIM SIZE	LOAD INDEX	SR	TT/TL
81	10.5	R15	100	S	TL
225	70	R15	100	S	TL
216	76	R16	118/115	TL	
235	85	R16	118/118	TL	
255	85	R16	108	S	TL
235	85	R17	104	S	TL
255	70	R17	115	S	TL

apollo




APOLLO APTERRA WINTER

PREMIUM SUV, WINTER PERFORMANCE

- H rated, 16-18 inch tyres
- Directional tread pattern for perfect aquaplaning resistance
- 100% silica tread compound for excellent performance at low temperatures
- Traction ridges for enhanced deep snow traction
- Multiple sipes for shorter braking distance

AVAILABLE SIZES

SW	AR	RIM SIZE	LOAD INDEX	SR	TT/TL
215	85	R18	89	H	TL
215	60	R17	88	H	TL
235	85	R17	108	H	TL
235	60	R18	108	H	TL



apollo

